


FLANGE GUARD



24

Flange Guard

Flanged joints on pipeline systems are an enormous source of danger and especially wherever they are used to transport poisonous, flammable or caustic liquids. In case of seal breakage, the result is a danger zone with a diameter of up to 40 meters. In order to reduce this zone to a minimum, flanged joints must be provided with a suitable form of spray protection.

- Spray Protection
- Adjustable latching Slots
- Installation and removal without tools and auxiliary equipment
- No sliding off in the case of vertically laid pipelines
- Materials: Polypropylene, MSRL and stainless steel
- Shortest delivery time

FLANGE GUARD is designed as a spray protection ring that uses an adjustable latching slot and a centering ring to prevent the sliding off from the flange joint and with extremely simplified handling steps for guaranteed prevention of dangerous spraying of materials whenever a gasket or seal gives way. The versatile characteristics that has established this safety device to become the reliable standard equipment of safety-conscious companies.






Use FLANGE GUARD and

- Prevent the Hazards
- Prevent the irreplaceable human loss
- Save the environment
- Minimize the loss of material occurring through leakages

APPLICATIONS

- FLANGE GUARD is a simple single joint strap, to be used to fix on the flange joints. It is made of Polypropylene and is durable and has got resistivity for high pressures (about 50 kg/cm²) and high temperature (about 150 deg.C.) It can be used in acids; for that matter on all solvents.
- It does not require any hardware for fixing and is very easy to mount. The inside grip prevents it from sliding off from the joint.
- Available in various sizes. For your specific application, we can help you with the altered material of construction for the flange guard.

Flange Guard

Type	MOC	Size	Image
Strap Type	Pp	½" To 4"	
Lock Type	Pp	½" To 24" or as per client's requirement	
Box Type	Pp	1" , 1.5" , 2" , 3"	
Strap with Hardware	Ms/ Msrl/ Ss	½" To 24" or as per client's requirement	
Box Type	Ms / Ss	½" To 4"	

IN MOC: PP, SIZES AVAILABLE UPTO 3". WE MAKE IN 150#, 300#, DIN STANDARDS



MARK SAFETY APPLIANCES

(An ISO 9001:2015 Certified Company)



Scan QR code to
download catalogues



Regd. Office, Warehouse & Workshop:

Plot No. 92, 93, Shah Industrial Park-3 at Kotambi,
Pin Code 391510, Vadodara-Halol Highway,
Dist. Vadodara, Gujarat, India.



02668 299065, 098797 79661



info@marksafety.com



www.marksafety.com

Connect us:

