

FIRST AID EQUIPMENTS



29

*First Aid Box, Folding Stretcher
Watergel Blanket, Powerheart G5 (AED)*

MEDIC SERIES

ANSI/OSHA Standards, Indian Factories Act, BOCW Act, CE Standards



MEDIC1000IN

⊕ MEDIC 1000 SERIES



10 Person Kit

DESCRIPTION:

The First Aid Kit has a unique design with compartments inside to hold contents. The semi-transparent cover offers easy access to the different content areas. The box can be taken anywhere leaving more space for other necessary first aid fillings. Can be free standing and is also supplied with a bracket to wall-mount the kit. Soft semi-automatic opening system. Dust proof lid keeps contents clean and sterile. All products come with clear, self-explanatory instructions.

KEY FEATURES:

Classification of Outer Case : ANSI Type III kit. Portable, Mountable & Water Resistant.

Kit Colour : High Visibility Orange

Mounting Provision : Supplied with a Wall Mount Bracket

Contents : Colour Coded as per ANSI ANSI/OSHA Z308. 1-2015 standards.

Dimensions : 20 X 20 X 6 cms

⊕ MEDIC 1500 SERIES



15 Person Kit

DESCRIPTION:

This First Aid Kit is made from a durable medical grade HDPE material with a matte finish to keep dust, moisture and dirt at bay. It keeps the contents hygienically clean, so it is always ready to be used. The contents are packed in transparent plastic packs, so you can clearly see all the products, making it easy to find the product you need when every second counts. All products come with clear, self-explanatory instructions. The kit is a High Visibility coloured one, making it easy to see from a distance. The practical handle makes it easy to attach the case or carry it with you.

KEY FEATURES:

Supplied with the Patented MEDIC FIRST-AID Disc Guide.

Classification of Outer Case : ANSI Type III kit. Portable, Mountable & Water Resistant.

Kit Colour : High Visibility Orange

Mounting Provision : Supplied with a Wall Mount Bracket

Contents : Colour Coded as per ANSI ANSI/OSHA Z308. 1-2015 standards.

Dimensions : 26.5 X 21.3 X 8.9 cms



MEDIC1500IN

⊕ MEDIC 2500 SERIES



25 Person Kit



MEDIC2500IN

DESCRIPTION:

The ICONIC MEDIC Series, MOC – ABS-synthetic material, temperature resistant, shockproof, dimensionally stable, dust proof, waterproof, low-maintenance, transparent cover panel, smooth turn-lock fasteners, sealing device. A flexible first aid kit to be mounted on the wall that easily can be clicked down and thanks to its robust handle be brought to the emergency situation. The box is initially filled with an optimal first aid content but can easily be customised with other products, according to needs. The box is filled with a rubber mould to make it airtight and resistant to dirt and dust. All products come with clear, self-explanatory instructions.

KEY FEATURES:

Supplied with the Patented MEDIC FIRST-AID Disc Guide.

Classification of Outer Case : ANSI Type III kit. Portable, Mountable & Water Resistant.

Kit Colour : High Visibility Orange

Mounting Provision : Supplied with a Wall Mount Bracket

Contents : Colour Coded as per ANSI ANSI/OSHA Z308. 1-2015 standards.

Dimensions : 28 X 20 X 11.5 cms

FIRST AID KIT (Metal Medium Size)


No.	Particulars	Quantity
01	Ab. Cotton Wool	4 nos.
02	Roller Bandage	2 x 2.5cm x 3mtr
03	Roller Bandage	3 x 5.0cm x 3mtr
04	Roller Bandage	3 x 7.5cm x 3mtr
05	Gauze Pad	2 x 5cm x 5cm x 8ply
06	Gauze Pad	2 x 7cm x 7.5cm x 8ply
07	Gauze Pad	1 x 10cm x 10cm x 8ply
08	Antiseptic Cream	2 nos.
09	Antiseptic Solution	1 x 100ml
10	Antiseptic Wiper (Wound Cleaner)	5 nos.
11	Tr. Benzion	1 x 20ml
12	Dusting Powder	1 no.
13	Adhesive Plaster	2 nos.
14	Eye/Ear Drops	2 nos.
15	Band Aid	10 nos.
16	Eye Pad	2 nos.
17	Cotton Buds	25 nos.
18	Breathing Mask	1 no.
19	Burn Dressing 10cm x 10cm	2 nos.
20	Sterile Dressing with Gauze Bandage (Medium)	2 nos.
21	Sterile Dressing with Gauze Bandage (Large)	2 nos.
22	Cotton Crepe Bandage (5cm)	2 nos.
23	Triangular Bandage	2 nos.
24	Wooden Splint	2 nos.
25	Eyewash Solution	1 no.
26	Scissor	1 no.
27	First Aid Leaflet for Instruction	1 no.

First Aid Box Size
 11" x 12" x 6 Mild,
 Steel (MS) 20 Gauge
 Powder Coated,
 Box with 5 Compartment
 with Acrylic Door,
 Wall Mounted Type.


FAP112-WITH MEDICINES



1 Call Emergency Number



2 Check Vital Signs



3 Check Breathing




4 Give Rescue Breaths



5 Perform CPR



6 Turn On Side



Lifejackets

Specifications & Features

UltraSafe Products is a renowned manufacturer and supplier of a wide range of Lifejackets and Accessories. UltraSafe Lifejackets conform to the requirements of International Maritime Organization's (I.M.O.) Safety of Life at Sea (SOLAS) Convention and Life Saving Appliances Code (LSA CODE) along with their Amendments as entered into force from time to time. UltraSafe Life Jacket are fully approved. UltraSafe manufactures lifejackets catering to various

Sectors:

Marine Industry, Central & State Government Disaster Management Department Sports, Tourism and Recreational Industry

Lifejackets manufactured under the above Models are tested fully in conformance to the requirements of MSC 81 (70), MSC 200 (80), MSC 207 (81) and MSC 201 (81) and latest IMO (MSC) regulations.

very user friendly, comfortable to wear and ideal in all respects for use by the personnel working on any type of vessel, be it Cruise Ships, Passenger Ferries, Cargo Ships, Offshore Vessels, Tankers, Sailing Vessels, Fishing Vessels, Port Tugs, Inland Boats, Trawlers, Barges, Rigs, Oil Process Platforms and Offshore Installations.

Ultrasafe Life Jacket is SOLAS make Lifejacket designed to be folded to take up minimal space when stowed. There is nil dead buoyancy across the chest which means full freedom of movement for the user, which ultimately makes it easier to board the liferaft or any marine craft. Extra comfort is being provided by provision of a back panel and a side entry which ensures easy donning. Donning instructions are provided on the top section of the lifejacket. The lifejacket is equipped with a crotch strap to ensure proper fit and performance after impact with water. The waist belt is 175 cm according to MSC.200 regulations ensuring one-size fits all for both universal and oversize crew and passengers. The lifejacket can be marked with customized marking of i.e. cabin number. All lifejackets are produced and certified according to the updated MSC.200 regulation and according to ISO9001:2015.



- Self Righting Properties
- Enhanced Mouth Freeboard
- Easy to Don
- Reliable & Excellent Quality
- Lifting Becket to provide instantaneous retrieval
- High Float ability with optimum inherent Buoyancy
- USPJA Designed to fit Persons weighing up to 140 Kg and with a Chest girth of up to 1750 mm without the need for additional item or extension.

Model	USPJA for Adults	Approvals
	Weight - 1 kg Buoyancy - 193N Body Weight - 43kg+	IR Class Approved (IRS approved)

Lifebuoy Ring

UltraSafe Life Buoys conform to the requirements of International Maritime Organization's (I.M.O.) Safety of Life at Sea (SOLAS) Convention and Life Saving Appliances Code (LSA CODE) along with their Amendments as entered into force from time to time. UltraSafe Lifebuoys are manufactured with high density UV grade Polyethylene and Polyurethane foam filled . It comes fitted with Retro reflective tape and grab line of 9.5 mm dia with breaking strength not less than 5 Kilo Newton. The Buoy is manufactured in Orange and durable UV resistant.



USPB1

Weight : 2.5 Kg

Colour : Orange

Shelf Life : 5 Years

Storage Temp : -30°C to +65°C

Marked with Approval information

Float ability : min 14.5 kg of Iron in fresh water for 24 hours



USPB2

Weight : >4 Kg

Colour : Orange

Shelf Life : 5 Years

APPROVALS

- IRS Type Approved
- SOLAS 74, as amended, Reg. III/4, III/7, III/22, III/32, III/34, X/3
- LSA Code, Reg. I/1.2 and II/2.1.1, as amended by MSC. 207(8t),
- IMO Resolution MSC. 81 (70), as amended by MSC. 200(80), MSC, 226(82)
- International Code of Safety for High Speed Craft 1994 & 2000, VIII/8

Dedicated to

- Merchant Shipping
- Defence Marine Operations
- Coastal & Inland Waterways
- Disaster Management
- Fishing
- Sport
- Tourism & Recreational



FEATURES:

Highly Durable | Moisture Proof | UV Resistant | Non Inflammable | Zero Maintenance

Acrylic First Aid Box

Product Description

Usage/Application : Hospital, Industries, Home
Material : Acrylic
Color : White and Green
Size/Dimension : 12" x 12" x 4" and 18"x 12"x 4"
Shape : Square, Rectangular

Being one of the renowned firms in the industry,
we are involved in providing a high-quality array of Acrylic First Aid Box.



FAP01




FAP02



STRETCHER

MOBILIZE Ps101 Pole Stretcher with Carry Kit Bag & Body Straps



Water Jel Blanket

Water Jel Blanket size - 2x2 feet, 5x6 feet & 8x6 feet also size providing



Ambu Bag / Artificial Respirator

Product Description

- Size: Adult

Specifications:

- Food grade silicone rubber & polycarbonate which can be autoclavable upto 360 degree C.
- Other properties: Finish properties including resistant to aging, non-toxic and non-allergic finish.
- Set comprises of Oxygen Tubing, face mask, reservoir bag, double ended bag with valve and other support components & accessories.
- Set packed in a PVC box with Plus sign marked in Green Color

FEATURES & BENEFITS:

- For administration, artificial respiration (in lieu of traditional mouth to mouth) to victims of electric shock, drowning, fatigue, suffocation, heart seizure etc. with carrying bag.



RP101

POWERHEART G5 (AED)

TECHNICAL SPECIFICATIONS

DEFIBRILLATOR

Operations	Fully automatic and semi-automatic versions
Waveform	STAR® biphasic truncated exponential
Therapy range (J)	95J to 354J (adult)
Factory default (nominal)	Escalating Variable Energy (VE): 200VE, 300VE, 300VE
Shock delivery	Within 10 seconds (typically) post-CPR
Voice prompts	RescueCoach™ prompts provide user-paced instruction
Text screen	Displays rescue prompts and critical rescue information
Audible alerts	Voice prompt, system alert
Synchronized shock	Built-in automatic synchronization feature
Pacemaker pulse detection	Yes
Pediatric capability	Yes, therapy range (VE) 22J to 82J, pediatric prompts
Dual language	Yes, selected languages available
Customisable	Voice prompt, CPR settings, and shock protocols via AED Manager
CPR feedback	Real-time guidance for CPR rate/depth (optional), metronome for CPR rate
Visible indicators	Rescue Ready®, battery, service, and pad status



PHYSICAL/ENVIRONMENTAL

Dimensions (L x W x D)	30 cm x 23 cm x 9 cm (11.8 in x 9.1 in x 3.5 in)
Weight	2.5 kg (5.5 lbs), including battery and pads
Dust/Water resistance	IP55 (IEC 60529)
Operating temperature	0°C to +50°C (32°F to +122°F)
Altitude	-382 m (-1,253 ft) to 4,594 m (15,073 ft)
Drop	MIL-STD-810G, 516.6 (Procedure IV) for 1.22 m drop
Shocks	MIL-STD-810G, 516.6 (Procedure 1)
Vibration (sine and random)	MIL-STD-810G, 514.6 (Procedure 1, Cat 24)
EMI (radiated/immunity)	IEC 60601-2-4

PADS

Type	Disposable, non-polarized (pads can be placed in either position)
Shelf life	2 years

BATTERY Intellisense® lithium battery

Guarantee	4-year, full operational replacement
Capacity	500 shocks at 150VE ; 450 shocks at 200VE

AUTOMATIC SELF-TESTS

Daily, weekly, and monthly	Battery, pads (presence and function), electrical circuitry, and software
Weekly	Includes partial energy charge
Monthly	Includes full energy charge cycle

EVENT DOCUMENTATION

Internal memory	90 minutes of rescue data, multiple rescue functionality
ECG and rescue review	Viewable via AED Manager software
Communications	USB cable or USB drive

Each AED package includes (1) defibrillator, (1) Intellisense battery, (1) pair of defibrillation pads, (1) AED Manager software, (1) AED manual, (1) Getting Started card, and (1) Steps to a Rescue.




Cardiac Science is a global leader in automated external defibrillators (AEDs) and diagnostic cardiac monitoring devices. With the Powerheart G5, we've taken AED technology and design to a new level of reliability, ease of use, and effectiveness. No other AED offers the Powerheart G5's combination of advanced features that include Rescue Ready self-testing, variable escalating energy, fast shock times, and real-time CPR feedback. **For more information, visit www.cardiacscience.co.uk or contact your local Cardiac Science team.**



Scan QR code to
download catalogues

MARK SAFETY APPLIANCES

 **Regd. Office, Warehouse & Workshop:**
Plot No. 92, 93, Shah Industrial Park-3 at Kotambi,
Pin Code 391510, Vadodara-Halol Highway,
Dist. Vadodara, Gujarat, India.

 02668 299065, 098797 79661

 info@marksafety.com

 www.marksafety.com

Connect us:     