

RESPIRATORY PROTECTION



05

3 Ply Surgical Mask



KINGFA-KF-B P01(TB)

Product Specification

Product Code	: KF-B P01 (TK)
Product Description	: 3 Ply Surgical Mask
Head / Ear loop	: Tie Knot
Class	: Class II R
Approval	: EN 14683:2019+AC:2019
Product Color	: Blue
Respirator Style	: -
Protection	: -
Headband with adjuster	: No
M.U.L	: -
Qty per Case	: 60
Number per Box	: 50
Packaging	: Bulk Case
Exhalation Valve	: No
Face seal	: Nose Clip
Features	: Ultrasonic welding, Adjustable Embedded Nose Clip
Flame Resistance	: No
Fluid Resistant	: Yes
Filter	: Electrostatic PP-MB
Individually Wrapped	: No
Shelf Life	: 3 Year



FFP1 Mask

Flat Fold Disposable Mask with Head Band & Adjustable Bid



KF-A F03-W



KF-A F03-G

Specially positioned nose clip does not pose any rupturing or dislocation risk or related injury risk. It maintains its features even after repeated usage. Its special thermal bonding layer gives it a reinforced body that is resistant to deformation, perspiration-related problems and collapse.

The balance between the flexibility and pressure of the featured knitted headbands makes for increased comfort. They also will not lose flexibility or pressure in hot or cold working conditions. It is suitable for use with the other Personal Protective Equipment such as helmets, safety glasses and ear protection.

Product Specification

Material	: Non Woven
Application	: Clinical, Hospital
Color	: White & Gray
Rope material	: Cotton
Rope Thickness	: 1.5-2mm
Class	: FFP1
Approval	: EN 149:2001 + A1 2009
Grade	: KF-A F03
Approval	: Our disposable particulate Filtering Face piece has been Tested As per EU Regulation EU 2016/425, standards from EN149:2001+A1:2009 FFP1 NR
Designations	: NR = Non-Reusable

FFP2 Mask

Flat Fold Disposable Mask with Head Band & Adjustable Bid



KF-A-F10-(RF-TD)-W



KF-A-F10-(RF-TD)-G

Product Specification

Product Description	: Particulate Filtering Half Mask Fold Flat FFP2 Class
Head / Ear loop	: Head loop
Class	: FFP2
Approval	: EN 149:2001 + A1 2009
Product Color	: White / Grey
Respirator Style	: Flat fold
Protection	: Solid Dust / Oil Mist
Headband with adjuster	: Yes
M.U.L	: 12 x OEL
Qty per Case	: 40
Number per Box	: 50
Packaging	: Bulk Case
Exhalation Valve	: No
Faceseal	: Nose Clip
Features	: Ultrasonic welding, Adjustable Embedded Nose Clip, Welded elastic, Adjustable Beads
Filter	: Electrostatic PP-MB
Gas & Vapor Protection	: Particulates
Product Type	: Dust and other Particles
Shelf Life	: 3 Year
Elastic Attachment	: Welded Knitted Headband



N95 Particulate Respirators

Engineered to promote easier breathing, the NIOSH approved DF300 Series Flatfold Disposable Respirators are made with a multilayered absorption media that repels moisture and features a smooth inner lining for added comfort.

Industries & Applications

- Construction – respirable crystalline silica
- Fiberglass or Drywall Installation
- Cutting or Sanding Wood
- General Manufacturing
- Healthcare*
- Agriculture and Farming

Features & Benefits

- Designed to fit most faces comfortably and accommodate the user's facial movements
- Multilayered absorption media with a smooth inner lining for added comfort
- Latex free, comfort stretch head straps are welded for a secure fit
- Concealed, adjustable nose clip and soft foam nose cushion help provide a custom secure seal
- Humidity and moisture resistance filter media that repels moisture for a longer lasting respirator



DF300H910N95

Technical Specifications

- Product weight: DF300 = 0.2 oz
- Latex free components
- Comfort stretch, cloth strap
- Nose Foam: Open Cell Foam



Use For

- Solid particulates & nonpetroleum based liquid aerosols
- DO NOT Use for gases, vapors, oil-based mists, asbestos, paint spray, or sandblasting
- DO NOT Use for particulate concentrations exceeding 10 times PEL

Approvals & Standards

- NIOSH approved N95 particulate respirator (NIOSH 42 CFR 84) o TC-84A-8480
- Assigned Protection Factor (APF 10) per OSHA
- Meets OSHA Respiratory Protection Standard 29 CFR 1910.134
- Not tested against COVID-19 or other pathogens


Product Number	Class/ Feature	Valve	Nose Clip	Strap Style	Strap Material	Box Qty	Case Qty	Case Dimensions
DF300N95BX	N95	NO	YES	Welded	Cloth	20 Units	12 Boxes	20.5"L x 15.8"W x 11.8"H
DF300N95B	N95	NO	YES	Welded	Cloth	50 Units	12 Boxes	27.2"L x 15.8"W x 12"H
DF300H910N95	N95	NO	YES	Welded	Cloth	50 Units	12 Boxes	21"L x 17.5"W x 12H





Scan QR code to
download catalogues

MARK SAFETY APPLIANCES

 **Regd. Office, Warehouse & Workshop:**
Plot No. 92, 93, Shah Industrial Park-3 at Kotambi,
Pin Code 391510, Vadodara-Halol Highway,
Dist. Vadodara, Gujarat, India.

 02668 299065  info@marksafety.com

 www.marksafety.com

Connect us:     