

PROTECTIVE CLOTHING



06

Hooded coverall with elastics

(Chemical Protective Garments, Category III) Tychem® 2000



Standard Design



- Hooded coverall
- Elasticated hood and self-adhesive chin flap for tight fit around respirator
- Double self-adhesive zipper flap offers high level of protection
- Elasticated cuffs and ankles
- Elasticated waist for better fit of garment

Seams: Stitched and overtaped, offering equal barrier as fabric

Colour:



Yellow

Size: M to XXXL

Carton Quantity: 50

Features

- Protection against numerous inorganic chemicals
- Resists liquid splashes up to 2 bar
- Particle tight fabric
- Biological protection - meets the EN 14126 requirements in the highest performance class
- Protection against particulate radioactive contamination
- Lightweight Type 3B protection
- Garment design provides the right fit and ease of movement for the wearer
- For applications where decontamination is needed: the fabric is resistant to certain commonly used decontamination substances
- Does not contain halogen compounds, so can be disposed of via standard means

Sizes

Body measurements in cm

| Size | Chest girth (cm) | Body height (cm) |
|------|------------------|------------------|
| S | 84 - 92 | 162 - 170 |
| M | 92 - 100 | 168 - 176 |
| L | 100 - 108 | 174 - 182 |
| XL | 108 - 116 | 180 - 188 |
| XXL | 116 - 124 | 186 - 194 |
| XXXL | 124 - 132 | 192 - 200 |

Dupont TC198T YL

** The antistatic treatment is only effective when relative humidity is >25%

*** Gives no protection against radioactive radiation.

| | | | | | | |
|--------|--------|--------|--------|---------------------|--------------------|-----------|
| | | | | | | |
| Type 3 | Type 4 | Type 5 | Type 6 | EN 14126 Type 3B | EN 1149-1: 1995 | EN 1073-2 |




Hooded coverall with elastics

(Chemical Protective Garments, Category III) Tychem® 6000



Standard Design



- Hooded coverall
- Elasticated hood and self-adhesive chin flap for tight fit around respirator
- Double self-adhesive zipper flap offers high level of protection
- Elasticated cuffs and ankles
- Elasticated waist for better fit of garment

Seams: Stitched and overtaped, offering equal barrier as fabric

Colour:



Size: M to XXXL

Carton Quantity: 25

Features

- Protection against numerous organic and highly concentrated inorganic chemicals
- Resists liquid splashes up to 5 bar
- Particle tight clothing material
- Biological protection - meets the EN 14126 requirements in the highest performance class
- Protection against particulate radioactive contamination
- Ease of movement and correct fit
- Lightweight Type 3B protection, only 450 g for Tychem®F - size L
- For applications where decontamination is needed: the fabric is resistant to commonly used decontamination substances
- Does not contain halogen compounds, so can be disposed of via standard means

Sizes

Body measurements in cm

| Size | Chest girth (cm) | Body height (cm) |
|------|------------------|------------------|
| S | 84 - 92 | 162 - 170 |
| M | 92 - 100 | 168 - 176 |
| L | 100 - 108 | 174 - 182 |
| XL | 108 - 116 | 180 - 188 |
| XXL | 116 - 124 | 186 - 194 |
| XXXL | 124 - 132 | 192 - 200 |

Standard Design with Socks

- Socks attached to the ankle for wearing inside safety boots or shoes with additional knee length boot flap to ensure high level of protection

Colour:



Size: M to XXXL

Carton Qty. Quantity: 20 *

* DuPont pictograms

* The antistatic treatment is only effective when relative humidity is >25%


*** Gives no protection against radioactive radiation

DuPont TF198T GY





MARK SAFETY APPLIANCES

 **Regd. Office, Warehouse/Workshop:**
Plot No. 92, 93, Shah Industrial Park-3 at Kotambi,
Pin Code 391510, Vadodara-Halol Highway,
Dist. Vadodara, Gujarat, India.

 02668 299065  info@marksafety.com

 www.marksafety.com



Scan QR code to
download catalogues

Connect us:     